

**TECHNICAL DATA SHEET****WINMIX 18312****INTERNAL CODE**
WINMIX 18312**GENERAL PRODUCT INFORMATION**

Product description: Vitamins and mineral mix.
Intended use: Nutritional Supplement Powder.
Application dose: 3.7 g/100g portion.

Approximate levels obtained with dose of 3.7 g per portion.

Nutrient	Unit	NRV**	%NRV	Expected Level
Vitamin A	mcg	568.000	58.0%	329.700
Vitamin E	mg	11.000	100.0%	11.000
Vitamin D3	mcg	5.600	41.5%	2.326
Vitamin K1	mg	0.078	39.8%	0.031
Vitamin C	mg	60.000	73.3%	44.000
Niacin	mg	11.000	86.4%	9.500
Pantothenic Acid	mg	4.000	92.5%	3.700
Vitamin B1	mg	0.800	88.8%	0.710
Riboflavin	mg	0.840	89.3%	0.750
Vitamin B6	mg	0.930	102.2%	0.950
Folic Acid	mg	0.380	42.4%	0.161
Vitamin B12	mg	0.002	138.1%	0.003
Biotin	mcg			75.000
Choline	mg			10.000
Calcium	mg	900.000	29.8%	267.988
Chromium	mg	0.022	51.1%	0.011
Copper	mg	0.650	78.5%	0.510
Iron	mg	17.000	26.8%	4.550
Magnesium	mg	248.000	38.4%	95.300
Manganese	mg			1.050
Molybdenum	mg			0.028
Sodium	mg			152.100
Potassium	mg			592.270
Selenium	mg	0.041	23.2%	0.010
Zinc	mg	10.000	48.5%	4.850
Iodine	mg	0.099	39.4%	0.039

Complies with NOM-051-SCFI/SSA1-2010

Packaging and / or presentations: Polyethylene bag inside a metallized bag with 25 Kg of product in a kraft corrugated cardboard box.

Storage conditions: Store in a cool, dry place, away from light. The packaging must be kept closed. Keep away from moisture.

Shelf life: 12 months under recommended storage conditions. The expiration date appears on the label.

Application: This formulation is developed in accordance with information provided by the customer. It is the customer's responsibility to verify that the specification of this formulation complies with requirements, as well as to check the compatibility of the premix with the finished product by means of a pilot sample in the finished product.

Technical assistance: For technical assistance, please contact the World Ingredients technical team at: +52(55)53632011.

Authorization: By signing this premix specification, the customer confirms that this specification is correct and complies with local regulations.